Test Report -Products



Report No.:	326001508a 001	Page 1 of 16		
Client:	INFOCON INDUSTRY TECHNOLOGY CO., LT			
Contact Information:	Room 102, Building 4, Smart Industry Innovation Park, Building 19, No.36 south Changsheng Road, Jiaxing city, Zhejiang, P.R. China			
	Contact Person: Mr. Zhang Sheng			
Identification/ Model No(s):	ICM-D1S11S, ICM-D1S18S, ICM-D1S18S-S, ICM-D1S15, ICM-D1S15- S, ICM-D1S30, ICM-D1S30-S, ICM-D1S70, ICM-D1S70-S			
Condition at delivery:	Test item complete and undamaged.			
Sample Receiving date:				
Testing Period:	2024-02-26 to 2024-03-08			
Place of testing:	Chemical laboratory Shanghai			
Test Specification:		Test result:		
1. Screening Test by XRF Spectroscopy PASS				

 Screening Test by XRF Spectroscopy According to RoHS (recast): Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment.

For and on behalf of TÜV Rheinland (Shanghai) Co., Ltd.

2024-03-15

Date

Lyn Li / Project Engineer Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.

This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

"Decision Rule" document announced in our website (https://www.tuv.com/landingpage/en/qm-gcn/) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.

TÜV Rheinland (Shanghai) Co., Ltd., Shanghai TÜV Rheinland Building, No. 177, Lane 777, West Guangzhong Road, Jing'an District, Shanghai, 200072, P.R.China Tel +86 21 6108 1188 · Fax +86 21 6108 1099 · Mail: service-gc@tuv.com · Web: www.tuv.com



Page 2 of 16

### Material List:

Item:

ICM-D1S11S, ICM-D1S18S, ICM-D1S18S-S, ICM-D1S15, ICM-D1S15-S, ICM-D1S30, ICM-D1S30-S, ICM-D1S70, ICM-D1S70-S

Material No.	Material	Color	Location
M001	Metal	Gold	refer to photo
M002	Electronic components	Black	refer to photo
M003	Electronic components	Black	refer to photo
M004	Electronic components	Grey	refer to photo
M005	Electronic components	Black	refer to photo
M006	Electronic components	Copper	refer to photo
M007	Electronic components	Black/Green	refer to photo
M008	Electronic components	Black	refer to photo
M009	Electronic components	Black	refer to photo
M010	Electronic components	Black	refer to photo
M011	Electronic components	Grey	refer to photo
M012	Electronic components	Silver	refer to photo
M013	Electronic components	Black	refer to photo
M014	Electronic components	Black/Silver	refer to photo
M015	Electronic components	Silver	refer to photo
M016	Electronic components	Copper/Silver	refer to photo
M017	Electronic components	Black	refer to photo
M018	Electronic components	Black	refer to photo
M019	Solder	Silver	refer to photo
M020	Solder	Silver	refer to photo
M021	PCB board	Green	refer to photo
M022	Electronic components	Black	refer to photo
M023	Electronic components	Black/Green	refer to photo
M024	Solder	Silver	refer to photo
M025	PCB board	Green	refer to photo
M026	Electronic components	Black	refer to photo
M027	Electronic components	Black	refer to photo
M028	Electronic components	Blue	refer to photo

TÜV Rheinland (Shanghai) Co., Ltd., Shanghai TÜV Rheinland Building, No. 177, Lane 777, West Guangzhong Road, Jing'an District, Shanghai, 200072, P.R.China



Page 3 of 16

M029	Electronic components	Green/Silver	refer to photo
M030	Electronic components	Black	refer to photo
M031	Magnet	Black	refer to photo
M032	Electronic components	Yellow	refer to photo
M033	Electronic components	Blue/Silver	refer to photo
M034	Electronic components	Yellow	refer to photo
M035	Electronic components	Silver	refer to photo
M036	Electronic components	White/Grey	refer to photo
M037	Electronic components	White	refer to photo
M038	Electronic components	Grey	refer to photo
M039	Electronic components	White	refer to photo
M040	Plastic	Black	refer to photo
M041	Metal	Silver	refer to photo
M042	Metal	Silver	refer to photo
M043	Solder	Silver	refer to photo
M044	PCB board	Green	refer to photo
M045	Metal	Silver	refer to photo
M046	Plastic	Brown	refer to photo
M047	Plastic	Brown	refer to photo
M048	Plastic	Copper	refer to photo
M049	Glue	Transparent	refer to photo
M050	Metal	Silver	refer to photo
M051	Plastic	Browen	refer to photo
M052	Plastic	Black	refer to photo
M053	Plastic	Black	refer to photo
M054	Plastic	Red	refer to photo
M055	Plastic	Black	refer to photo
M056	Metal	Black	refer to photo
M057	Metal	Silver	refer to photo
M058	Plastic	White	refer to photo
M059	Metal	Silver	refer to photo
M060	Plastic	White	refer to photo



Page 4 of 16

M061	Plastic	White	refer to photo
M062	Glue	White	refer to photo
M063	Plastic	Rose gold	refer to photo
M064	Plastic	White	refer to photo
M065	Metal	Grey	refer to photo
M066	Plastic	Black	refer to photo
M067	Plastic	White	refer to photo
M068	Plastic	Black	refer to photo
M069	Plastic	Black	refer to photo
M070	Plastic	White	refer to photo
M071 El	ectronic components	Black	refer to photo
/1072	Plastic	Pink	refer to photo
M073	Metal	Silver	refer to photo
/1074	Plastic	Black	refer to photo
/1075	Metal	Silver	refer to photo
/1076	Metal	Grey	refer to photo
/1077	Plastic	Black	refer to photo
/1078	Metal	Silver	refer to photo
1079	Plastic	Black	refer to photo
1080	Metal	Silver	refer to photo
/081 El	ectronic components	Black/Silver	refer to photo
1082	Plastic	Black	refer to photo
1083	Metal	Silver	refer to photo
1084	Plastic	Black	refer to photo
M085	Metal	Silver	refer to photo
/086	Metal	Copper	refer to photo
/1087	Glue	Transparent	refer to photo
1088	Metal	Silver	refer to photo
/089	Plastic	White	refer to photo
V090	Metal	Silver	refer to photo
//091	Plastic	White	refer to photo
M092	Metal	Silver	refer to photo



Page 5 of 16

M093	Metal	Copper	refer to photo
M094	Metal	Silver	refer to photo
M095	Glue	Transparent	refer to photo



Page 6 of 16

### 1.Screening Test by XRF spectroscopy

Test Method: Cadmium, Lead, Mercury, Chromium, Bromine -- With reference to IEC 62321-3-1:2013

### **Test Result:**

Material No.	Cd	Cr	Pb	Hg	Br
M001	BL	BL	BL	BL	n.a.
M002	BL	BL	BL	BL	BL
M003	BL	BL	BL	BL	BL
M004	BL	d*1	BL	BL	BL
M005	BL	BL	BL	BL	BL
M006	BL	BL	BL	BL	BL
M007	BL	BL	BL	BL	BL
M008	BL	BL	BL	BL	BL
M009	BL	BL	BL	BL	BL
M010	BL	BL	BL	BL	BL
M011	BL	BL	BL	BL	BL
M012	BL	BL	BL	BL	n.a.
M013	BL	BL	BL	BL	BL
M014	BL	BL	BL	BL	d*1
M015	BL	BL	BL	BL	n.a.
M016	BL	BL	BL	BL	BL
M017	BL	BL	BL	BL	BL
M018	BL	BL	BL	BL	BL
M019	BL	BL	BL	BL	n.a.
M020	BL	BL	BL	BL	n.a.
M021	BL	BL	BL	BL	d*1
M022	BL	BL	BL	BL	BL
M023	BL	BL	BL	BL	BL
M024	BL	BL	BL	BL	n.a.
M025	BL	BL	BL	BL	d*1
M026	BL	BL	BL	BL	BL
M027	BL	BL	BL	BL	BL
M028	BL	BL	BL	BL	BL
M029	BL	BL	BL	BL	BL
M030	BL	BL	BL	BL	BL
M031	BL	BL	BL	BL	n.a.
M032	BL	BL	BL	BL	BL
M033	BL	BL	BL	BL	BL
M034	BL	BL	BL	BL	BL
M035	BL	BL	BL	BL	n.a.
M036	BL	BL	BL	BL	d*1
M037	BL	BL	BL	BL	BL

TÜV Rheinland (Shanghai) Co., Ltd., Shanghai TÜV Rheinland Building, No. 177, Lane 777, West Guangzhong Road, Jing'an District, Shanghai, 200072, P.R.China



Page 7 of 16

Γ	M038	BL	BL	BL	BL	d*1
	M039	BL	BL	BL	BL	BL
	M040	BL	BL	BL	BL	d*1
	M041	BL	d*1	BL	BL	n.a.
	M042	BL	BL	BL	BL	n.a.
	M043	BL	BL	BL	BL	n.a.
	M044	BL	BL	BL	BL	d*1
Γ	M045	BL	BL	BL	BL	n.a.
	M046	BL	BL	BL	BL	BL
	M047	BL	BL	BL	BL	BL
	M048	BL	BL	BL	BL	BL
	M049	BL	BL	BL	BL	BL
	M050	BL	BL	BL	BL	n.a.
	M051	BL	BL	BL	BL	BL
	M052	BL	BL	BL	BL	d*1
	M053	BL	BL	BL	BL	BL
	M054	BL	BL	BL	BL	BL
	M055	BL	BL	BL	BL	BL
	M056	BL	BL	BL	BL	n.a.
	M057	BL	BL	BL	BL	n.a.
	M058	BL	BL	BL	BL	BL
	M059	BL	BL	BL	BL	n.a.
	M060	BL	BL	BL	BL	BL
	M061	BL	BL	BL	BL	BL
L	M062	BL	BL	BL	BL	BL
	M063	BL	BL	BL	BL	n.a.
	M064	BL	BL	BL	BL	BL
	M065	BL	BL	BL	BL	n.a.
	M066	BL	BL	BL	BL	BL
	M067	BL	BL	BL	BL	BL
	M068	BL	BL	BL	BL	BL
	M069	BL	BL	BL	BL	d*1
	M070	BL	BL	BL	BL	BL
	M071	BL	BL	BL	BL	d*1
	M072	BL	BL	BL	BL	BL
	M073	BL	BL	BL	BL	n.a.
	M074	BL	BL	BL	BL	BL
	M075	BL	BL	BL	BL	n.a.
	M076	BL	BL	BL	BL	n.a.
	M077	BL	BL	BL	BL	BL
	M078	BL	BL	BL	BL	n.a.
	M079	BL	BL	BL	BL	BL
	M080	BL	BL	BL	BL	n.a.

TÜV Rheinland (Shanghai) Co., Ltd., Shanghai TÜV Rheinland Building, No. 177 , Lane 777, West Guangzhong Road, Jing'an District, Shanghai, 200072, P.R.China Tel +86 21 6108 1188 · Fax +86 21 6108 1099 · Mail: service-gc@tuv.com · Web: <u>www. tuv.com</u>



Page 8 of 16

M081	BL	BL	BL	BL	BL
M082	BL	BL	BL	BL	d*1
M083	BL	BL	BL	BL	n.a.
M084	BL	BL	BL	BL	BL
M085	BL	BL	BL	BL	n.a.
M086	BL	BL	BL	BL	n.a.
M087	BL	BL	BL	BL	BL
M088	BL	d*1	BL	BL	n.a.
M089	BL	BL	BL	BL	d*1
M090	BL	BL	BL	BL	n.a.
M091	BL	BL	BL	BL	d*1
M092	BL	d*1	BL	BL	n.a.
M093	BL	BL	BL	BL	n.a.
M094	BL	BL	BL	BL	n.a.
M095	BL	BL	BL	BL	BL

Abbreviation: Pb
------------------

Pb	_	Lead
	_	
Cd	=	Cadmium
Hg	=	Mercury
Cr	=	Chromium
Br	=	Bromine
n.a.	=	Not applicable
BL	=	Below limit
OL	=	Over limit
d.	=	Detected

### Remark:

(\*1) The screening result was detected in the inconclusive region or over limits, thus the further wet chemistry tests are suggested.

(\*2) Component(s)/ materials(s) with an area of less than 2 mm x 2 mm will not be selected for testing according to RoHS Directive 2011/65/EU due to technical reason. For the test sample does not have detail materials information provided by client, visually identical materials (e.g. wire insulation, solder points, etc.) will be considered as the same material. Solder points on a printing circuit board will be examined several times based on optical anomalies or discoloration of the solder point(s) unless the solder point(s) is obviously generated automatically during production.

All other materials will be sampled and tested at one test point representatively.

	Concentration (%)							
Material	Cd	Cr	Pb	Hg	Br			
Polymeric	BL≤0.006 <x<0.014≤ OL</x<0.014≤ 	BL≤0.064 <x< th=""><th>BL≤0.067<x<0.133≤ OL</x<0.133≤ </th><th>BL≤0.066<x< 0.134≤OL</x< </th><th>BL≤0.029<x< th=""></x<></th></x<>	BL≤0.067 <x<0.133≤ OL</x<0.133≤ 	BL≤0.066 <x< 0.134≤OL</x< 	BL≤0.029 <x< th=""></x<>			
Metallic	BL≤0.006 <x<0.014≤ OL</x<0.014≤ 	BL≤0.064 <x< th=""><th>BL≤0.067<x<0.133≤ OL</x<0.133≤ </th><th>BL≤0.066<x< 0.134≤OL</x< </th><th>n.a.</th></x<>	BL≤0.067 <x<0.133≤ OL</x<0.133≤ 	BL≤0.066 <x< 0.134≤OL</x< 	n.a.			
Composite materials	BL≤0.004 <x<0.016≤ OL</x<0.016≤ 	BL≤0.044 <x< th=""><th>BL≤0.047<x<0.153≤ OL</x<0.153≤ </th><th>BL≤0.046<x< 0.154≤OL</x< </th><th>BL≤0.024<x< th=""></x<></th></x<>	BL≤0.047 <x<0.153≤ OL</x<0.153≤ 	BL≤0.046 <x< 0.154≤OL</x< 	BL≤0.024 <x< th=""></x<>			

XRF Screening limits for different matrices :

Remark: The symbol "X" marks the region where further investigation is necessary.



Page 9 of 16

# Test Report No.: 326001508a 001

	Cd	Cr(VI)	Pb	Hg	PBBs	PBDEs
Maximum permissible Limit (%)	0.01	0.1	0.1	0.1	0.1	0.1



Page 10 of 16

# 2.(HM) Cadmium, Lead, Chromium (VI), Mercury, Polybrominated biphenyls (PBB) and Polybrominated diphenyl ethers (PBDE)

### Test Method: Total Cadmium, Lead, Mercury, Chromium

- Ref. to IEC 62321-4:2013+AMD1:2017 and IEC 62321-5:2013
- Chromium (VI)
- For Metal material Ref. to IEC 62321-7-1:2015

- For Polymer, Electronic material or others materials - Ref. to IEC 62321-7-2:2017

PBBs, PBDEs - Ref. to IEC 62321-6:2015

### **Test Result:**

	Cd	Cr(VI)	Pb	Hg	PBBs	PBDEs
Maximum Permissible Limit (%)	0.01	0.1	0.1	0.1	0.1	0.1

	(%)						
Material No.	Cd	Cr^	Pb	Hg	PBBs	PBDEs	
	RL (%)						
	0.001	0.001	0.001	0.001	0.01	0.01	
M014	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M021	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M025	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M036	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M038	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M040	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M044	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M052	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M069	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M071	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M082	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M089	n.a.	n.a.	n.a.	n.a.	< RL	< RL	
M091	n.a.	n.a.	n.a.	n.a.	< RL	< RL	

Material No.	Chromium VI content for metal materials (μg/cm²) (*1) RL: 0.10 μg/cm²		
M041	Negative		
M088	Negative		
M092	Negative		



Page 11 of 16

Material No.	Chromium VI content for other materials (%) RL: 0.01%
M004	< RL
Abbreviation:	Pb = Lead Cd = Cadmium Hg = Mercury

iig	_	Nercury
Cr	=	Chromium
Cr (VI)	=	Chromium (VI)
PBBs	=	Total Polybrominated Biphenyls
PBDEs	=	Total Polybrominated Diphenyl Ethers
<	=	Less than
RL	=	Reporting Limit
n.a.	=	Not Applicable
^	=	The total Chromium have been determined
%	=	Percentage

### Remark:

(\*1) The Chromium (VI) content of metal sample in surface layer have been confirmed with reference to IEC 62321-7-1:2015 Annex.

	Chromium (VI) concentration	Qualitative result
Negative	<0.1µg/cm²	The sample is negative (-ve) for Cr(VI). The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating
	≥0.1µg/cm² and ≤0.13 µg/cm²	The result is considered to be inconclusive. Unavoidable coating variations may influence the determination. Recommendation: if additional samples are available, perform a total of 3 trials to increase sampling surface area. Use the averaged result of the 3 trails for the final determination.
Positive	>0.13 µg/cm²	The sample is positive (+ve) for Cr(VI). Concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).



Page 12 of 16

### 4. BBP, DBP, DEHP, DIBP content

Test Method: ref. to IEC 62321-8:2017

### **Test Result:**

	BBP	DBP	DEHP	DIBP
Maximum permissible Limit (%)	0.1	0.1	0.1	0.1

		(%)				
Teet No		BBP	DBP	DEHP	DIBP	
Test No.	Material No.		RL			
		0.005	0.005	0.005	0.005	
T001	M021 + M025	< RL	< RL	< RL	< RL	
T002	M040 + M044 + M046	< RL	< RL	< RL	< RL	
T003	M047 + M048 + M051	< RL	< RL	< RL	< RL	
T004	M049	< RL	< RL	< RL	< RL	
T005	M052 + M058 + M060	< RL	< RL	< RL	< RL	
T006	M053 + M054 + M055	< RL	0.009	< RL	< RL	
T007	M061 + M063 + M064	< RL	< RL	0.010	< RL	
Т008	M062	< RL	< RL	< RL	< RL	
T009	M066 + M067 + M068	< RL	< RL	< RL	< RL	
T010	M069 + M070 + M072	< RL	< RL	< RL	< RL	
T011	M074 + M077 + M079	< RL	< RL	< RL	< RL	
T012	M082 + M084 + M089	< RL	< RL	< RL	< RL	
T013	M091	< RL	< RL	< RL	< RL	
T014	M087 + M095	< RL	< RL	< RL	< RL	

Abbreviation:

BBP= Benzylbutyl phthalate DBP= Dibutyl phthalate DEHP= Bis(2-ethylhexyl) phthalate DIBP= Diisobutyl phthalate < = less than

< = less than
RL = Reporting Limit
%= percentage</pre>

### Remark:


\*


The maximum permissible limit is required from the amendment (EU) 2015/863 of RoHS Directive 2011/65/EU.





Page 13 of 16


Sample Photos



















Page 14 of 16

Sample Photos


















Page 15 of 16


Sample Photos


















Page 16 of 16

Sample Photos









- END -

🛕 TÜVRheinland® Precisely Right.

### General Terms and Conditions of Business of TÜV Rheinland in Greater China

- Scope These General Terms and Conditions of Business of TUV Rhenland in Greater China ("CITCB") is made between the client and one or more member entities of TUV Rhenland in Greater China as applicable as the case may be ("TUV Rhenland"). The Greater China here of the theory of the theory of the theory of the client and the applicable laws who concludes the incorporated or unicorporated etity during contracts under the applicable laws who concludes the incorporated or unicorporated etity during contracts under the applicable laws who concludes the incorporated or unicorporated etity during contracts under the applicable laws. The blowing terms and conditions apply to agreed services including consultancy services, information, deleveries and similar services as well as an acting/services and other secondary Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall from part of the contract even if TUV Rheinland dee not explicitly deject to them. In the costed of an ongoing business relationsity with the direkt, this GTCB shall also apply to in the costed of the block terms. 1.1
- (i) (ii) 1.2
- 1.3
- 1.4

#### 2 Quotations

3

#### Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party. Coming into effect and duration of contracts

#### 3.1

- Coming into effect and duration of contracts The contract stalls core is to effect to the agreed terms upon the quotation ister of TUV Rheinland or a separate contractual document being signed by both contracting parties, or upon the works without recently a quotation from TUV Rheinland (quotation, TUV Rheinland (quotation), TUV Rheinland (quotation, TUV Rheinland (quotation), TUV Rheinland (quotation
- 3.2 3.3

#### Scope of services

- Scope of services. The scope and type of the services to be provided by TOV Rhenkand shall be specified in the contractually agreed services scope of TOV Rhenkand by both parties. If no such separate service scope of TOV Rhenkand exists, then the written confirmation of order by TOV Rhenkand shall be decisive for the service to provided. Unless of thermise agreed, services beyond the scope of the standard services and the service decision of order by TOV Rhenkand shall be application of such are not one of the service decision of order by TOV Rhenkand shall be application of such are not one. In particular, or responsibility is assumed for the design, unless this applications not listed in the service decisions, as well as the intended use and application of such are not one. In particular, or responsibility is assumed for the design, unless this appendix services shall be performed in compliance with the regulations in force at the time the contract is sentened into. In determine, in its sole describe, the method on nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific production by file workhy and working order of either teseid or examined parts more of the installations, and present megalations, nor of the systems on which the installation is abused. In application in accordance with regulators, nor of the systems on which the installation is abused in application in accordance with regulators, nor of the systems on which the installation is abused. In application in accordance with regulators, nor of the systems on which the installation is abused in application in accordance with regulators, nor of the used application in accordance with regulators, or of the timeliad visual systems of the installation is abused in a application in accordance with regulators, nor of the used application in accordance with regulators, or of the installation as abused in a advised application, and the systems on which the installation is abused in and as 41 42
- 4.3
- 4.4
- 4.5 4.6
- 47
- 48
- particular, TUV Rhenhand all assume no responsibility for the construction, selection of materials and assembly of mataliadons avanted, nor by there used an application accordance with responsible to the selection with the services of the second selection of the second selection and the second of the second selection and the second selection and second selection and the second selection of the second selection and second selection and the second selection and second selection and the second selection and the second selection and second se
- 4.9

#### rmance periods/dates

- 5.1
- 52
- 5.3
- 5.4
- Performance period/diales The contractually agreed period/diales of performance are based on estimates of the work involved which are prepared in line with the data provided by the clerit. They shall only be binding if being confirmed as binding VD Rehealed an event diale that the source of the second second second second second second dialest the schematic data required documents to TUV Rehealed an event diaret has submitted at required documents to TUV Rehealed and the schematic data required and agreed period/diales of performance not caused by TUV Rehealed and the clerit has not Allided TUV Rehealed as the responsible for a delyin performance, in particular if the clerit has not Allided the service assigned in the contract. TUV Rehealed as the responsible for a delyin performance, in particular if the clerit has not Allided the service assigned in the contract. If the performance ATUV Reherland is delayed us to underseeable period mixed in corresponsi-tions for the service assigned to paytoping performance for a measure benefit of the wind in corresponsi-tion and the performance and the hindrance plus any time period which may be required to resume performance. 5.5
- least to the duration of time miniaring participant and the performance performance. If the client is obliged to comply with legal, officially prescribed and/or by the accreditor prescribed deadlines, it is the client's responsibility to agree on performance dates with TUV Rheinland, which deadlines, it is the client's responsibility to agree on performance dates with TUV Rheinland, which deadlines, it is the client's responsibility to agree on performance dates with TUV Rheinland, which deadlines, it is the client's responsibility to agree on performance dates with TUV Rheinland, which deadlines, it is the client's responsibility to agree on performance dates with TUV Rheinland, which deadlines is the second seco 5.6 being in the net energies incident and the legal and/or officially prescribed deadlines. Turburk, where the her client to comply with the legal and/or officially prescribed deadlines. Turburk herinland umes no responsibility in this respect unless TUV Rheinland expressly agreed in writing clically stating that ensuring the deadlines is the contractual obligation of TUV Rheinland. enable the assumes r

### The client's obligation to cooperate

- The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and at no cost to TÜV Rheinland. 6.1
- 6.2
- provided in good time and at no cost to TUV Rheimand.
  the service shall be services shall be service shalll 6.3

#### Prices

- Prices If the scope of performance is not liad down in writing when the order is placed, involcing shall be based on costs actually incurred. If no price is agreed in writing, involcing shall be made in accordance with the price list of UTW Reinhand valid at the time of performance. Unless otherwise agreed, work shall be involced according to the progress of the work. If the execution of an order adverted over more than one month and the value of the contract or the agreed fixed price seceeds 2,2500.00 or equivalent value in local currency. TUV Rhenland may demine Jaynemis to account or in indiaments. 7.1
- 7.2 7.3

#### Payment terms 8

- 8.1 8.2
- Invoice amounts shall be due for payment within 50 days of the tracked date without deduction receipt of the mixed, no discounts and reclasses shall be granted. Invoices and client numbers. The share of the state of the share of the share of the share of the mixed share of the shares and share numbers. The share of the shares of the shares of the share of the share of the share of the shares of the shares of the share of the share of the shares of the shares of the share of the share time. The shares of the shares of the shares of the shares of the share time. The shares of the share time. The shares the right to the shares of the shares of the shares the the share time. The shares of the share time. The shares of the share of the shares of the share 8.3
- clai Shr 8.4
- damage The pro 8.5 13.1
- assets. Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice. TÜV Rheinland shall be entitled to demand appropriate advance payments. 86

This GTCB is only used for TÜV Rheinland Business Stream Products Version 5.0/February 2023

- 87
  - February 2023

- TÜV Rheinland shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the direct in witting of the shall come into feet (period of notice) of charges in fees). If there is no fees remain under SNs contractual year, the client shall not have the right to ferminate the contract. If the rise in fees exceeds SNs per contractual year, the client shall not have the right to ferminate the contract. If the rise in fees exceeds SNs per contractual year, the client shall be entitied to terminate the contract. If the rise in fees exceeds SNs per contract lay the rise that is the shall be dismut to the contract, the charge in fees. 8.8
- Only legally established and undigued chains may be offer against claims by TÜV Rheinland. TÜV Rheinland shall have the right at all times to setoff any amount due or payable by the client, including but not limited to setoff against any fees paid by the client under any contracts, agreement and/or orders/quotations reached with TÜV Rheinland. 8.9 8.10
- Acceptance of work
- Any part of the work result ordered which is complete in itself may be presented by TÜV Rheinland for acceptance as an instalment. The client shall be obliged to accept inmediately. Instein the provide the state of the state 9.1
- 9.2
- 9.3
- 9.4 9.5
- The client is not entitled to make acceptance due to insignificant Oreacn a currence of UV file acceptance is excluded according to the nature of the work performance of TÜV Rheinland, the Countig the Follow-Audit stage, if the client was unable to make use of the time windows provided for within the scope of a certification procedure for auditing/set/mance by TÜV Rheinland and the complication of the scope of a certification procedure for auditing/set/mance by TÜV Rheinland and the complication of the scope of a certification is thereafter than the scope of a certification of the scope of a certification is thereafter of a scope scope of the scope of a certification of the certification of the scope of a scope of the certification of the scope of a certification of the certification of the scope of a scope of the certification of the certification of the scope of a certification of the certification of the certification of the certification of the scope of the certification of the certification of the certification of the certification of the scope of the certification of the scope of the certification of the ceritication of the certification of the certification of the certif 9.6

#### Confidentiality

10.1

10.2

10.3

- a) b)
- c)
- 10.4
- 10.5 a)
- b) c) 16.4 10.6
- <text><text><text><text><text><text><text><text><text><text> documentation purposes required by laws, regulations and the requirements of working procedures of TUP Rheinland. From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and shall not disclose this information to any thrit parties or use if for itself.

#### Copyrights and rights of use, publications

- TÜV Rheinland shall retain all exclusive copyrights in the reports, expert reports/opinions, test reports/results, results, calculations, presentations etc. prepared by TÜV Rheinland, unless otherwise agreed by the parties in a separate agreement. As the owner of the copyrights, TÜV Rheinland is fire to grant others the right to use the work results for individual or all types of use 11.1 11.2
- 11.3
- 11.4 11.5
- Childrette digitale di yi the parter in a separate appresent. A construction of the co 18.1 18.2

#### 12. Liability of TÜV Rheinland 12.1

11.6

11.7

12.2

12.3

12.4

12.5

- Liability of TÜV Rheinland Irrespective of the legal basis to the fullest extent permitted by applicable law, in the event of an basis of constrained beginners of the TUV Basis of TUV Reparator for all damages, bases are shall be limited to: (i) in the case of a contract twin and the permitted basis, a maximum of the entrie contract, (ii) in the case of a contract twin and the permitted basis, a maximum of the entries contract, (iii) in the case of a contract twin and the permitted basis, a maximum of the entries contract, contract supersay change on a time and material basis, a maximum of that provides for the possibility of patient entries the twent of the the entries outcast, and the damages of bases have occurred. Natwithstanding the above, in the event that the built and excurated liability accurates and the start of the trace of a contract twinner and with the damages of bases have occurred. Natwithstanding the above, in the event that the built and contract twinners in the start of the trace of the trace of the trace of the trace Rheinland that be only limited to and shall not exceed the said 2.5 Million Euro or equivalent contract in basis and that the top of the anges for a parson's density, physical largo, or dises. In cases involving a landamental breach of contract, TUV Rheinland will be lable even where minor regignerse is involving a landamental breach of contract, TUV Rheinland will be lable even where minor regignerse is involving a landamental breach of contract, the breach of contract is the said of the anges and the bases seasonably foreseening a nature to consequenced stark the prevent's breach of the said according the same of the said of the theory the consequenced stark the breach of the same of the theory of the same of the trace of the same of the same of the theory of the same of

- breach (reasonably foreseeable damage), uries any of the circumsures because at a sum-22 applies. The second seco
- Unless otherwise contractually agreed in writing, TÜV Rheinland shall only be liable under the contract to the clent. The Imitation periods for claims for damages shall be based on statutory provisions. None of the provisions of this article 12 changes the burden of proof to the disadvantage of the clert. 12.6 12.7

#### 13. Export control

When passing on the services provided by TÜV Rheinland or parts thereof to third parties in Greater China or other regions, the client must comply with the respectively applicable regulations of national and international export control law.

The performance of a contract with the client is subject to the proviso that there are no obstacles to performance due to national or international foreign trade legislations or embargos and/or sanctions. In the event of a violation, TÜV Rheinland shall be entitled to terminate the contract with immediate effect and the client shall compensate for the bases incured thereof by TÜV Rheinland.

#### Data protection notice

14

15.

15.1

15.2

15.3

15.4

15.5

16

16.1

16.3

**17.** 17.1.

17.2

17.3.

18.3.

19

19.1

19.2

a)

b)

c)

19.4

Data protection notice: The clear understands and agrees that TVV Rheiniand processes personal data (including but not supplied the clear bits the purpose of Additing this contract. The clear confirms that it has observed the prior consent of the data subject, which entitles TVV Rheiniand to access, use, or process the personal data that the clear collected or processes by head and unselfierd to TVV use and process the data in accordance with her relevant legal basis. If any personal data that he clear disclosed or transferred to any thing youry or any oversease by head and use that is to be disclosed or transferred to any thing youry or any oversease by head and table that is the personal data was collected, the clear data occurs that has collaried these prior consent of the personal data subject, the clear data occurs and the scalar data occurs and the compliance with the privacy and personal data as early releaded uses and regulations in China and the local country. TVV Rheiniand will take measures to avoid any keakage, abuse, mainplation, ongoin as a corresponding reason of data lear data tradents, night of decision, right of processing impation, right or decision, right of cecision, right of credit-takes, night of decision is the fore-processing of personal data by TVV Rheiniand as the person regressible to forward processing personal data by TVV Rheiniand as the person regressible to forward processing personal data by TVV Rheiniand as the person regressible to forward processing personal data by TVV Rheiniand as the person regressible or contract processing personal data by TVV Rheiniand as the person regressible or the fore-processing personal data by TVV Rheiniand as the person regressible for data processing personal data by TVV Rheiniand as the person regressible to forward processing personal data by TVV Rheiniand as the person regressible or contract processing personal data by TVV Rheiniand as the person regressible or theinian to processing personal data by TVV Rheiniand

#### Retention of test material and documentation

- Retention of test material and documentation The last samples avointist by the certent to TUV Pheniand for testing will be scrapped following testing or will be returned to the client at the client's expense. The only exceptions are test samples, which are placed in storage on the basis of statutory regulations or of another agreement with the client. The statut samples of the samples are stored at the premises of TUV Pheniand. The cost of placing clients sample for storage with be discussed to the client to be placed in storage at their premises, the reference samples or documentations must be made available to TUV Pheniand of making available the reference amples and/or documentations, many lability claims for material and pecunity dynamic results (To Monitoria) and a storage for them is though forward by the client's against TUV Reteniand shall be violate. Client's adjust the reference amples and the status storage to refer the status storage to making certifications or status and the status storage to reference and the client's premises and Client's against TUV Reteniand shall be violate. Client's adjust the status and the status storage to reference and the client's premises and control of the handow and displace of the test samples for storage on the client's premises and the distorations or warehouses of TUV Rheniand only in case of gross negligence.

#### Termination of the contract

- 16.2
- Certaination of the contract of the CRCS, TUV Rheinland and the cleant are stilled to terminate the forthard in the interface of a devices combination of the remaining strengtheness of the contract hiddwidely and independently of the contraction of the remaining strengtheness of the contract hiddwidely and independently of the contraction of the remaining strengtheness of the contract hiddwidely and independently of the contraction of the remaining strengtheness of the contract hiddwidely and independently of the contraction of the remaining strengtheness of a suspension of the acceleration or conflict strengtheness of the contract hiddwidely and independently of the contraction of the leant to terminate the strengtheness of the contract. The strengtheness of the contract hiddwidely into the termination date of the contract. The strengtheness of the contract hiddwidely into the termination date of the contract. The strengtheness of the contract hiddwidely into the termination of the strengtheness of the contract hiddwidely into the termination date of the contract hiddwidely into the termination of the strengtheness of the strengtheness of the contract hiddwidely into the termination of the strengtheness of the strengtheness

We have been a contracted to be accessed and the contract in the contrel integret in the contract in the contract in the co

Hardship The Parties are bound to perform their contractual duties even if events have rendered performance more onerous than could reasonably have been anticipated at the time of the conclusion of the

more encrusa than could reasonably have been anticipated at the time of the conclusion of the Nobehthatanding paragraph of this Clause, where a Party proves that: (a) the continued performance of its contractual dates has become excessively onerous due to an evert beyond in seasonable contractual which it could not executely have been expected to be an evert beyond in assonable contractual which is could not executely have been expected to be an evert beyond and not executed on the invocation of the Clause, to regoting the event contractual terms which reasonably allow to overcome the consequences of the event. Contractual terms which reasonable mice approach the paragraph. The Party howing this Clause is entitled to terminable the contract, but cannot request adaptation by the judge or arbitrator without the agreement of the Party.

Partial invalidity, written form, place of jurisdiction and dispute resolution All amendments and supplements must be in writing in order to be effective. This also apples to amendments and supplements must be invalidity in order to be the structure of the provision in the gard and even of the provision and the structure of the provision in the gard and commercial terms provision that consists to the context of the invalid provision in tegal and commercial terms of the structure of the provision and the structure of the

If TUP Revinted in question is legally registered and existing in Hong Kong, the contra and the learns and continon shall be governed by the laws of hereby agine that the contra and these lems and continon shall be governed by the laws of hereby agine that the contra and these lems and continons shall be governed by the laws of hereby agine that the contra and these lems and continons shall be governed by the laws of hereby agine that the contract and these lems and continons shall be governed by the laws of hong Kong. The contract, if no settlement or no agreement in respect of the shall be settled finding through negotiations.
Unless otherwise slipidated in the contract, and here lems and conditions or the execution thereof shall be settled finding through negotiations.
Unless otherwise slipidated in the contract, and here leads the here of the shall be settled finding through negotiations.
In the case of TUV Rhenitiand in question being legally registered and existing in the Popular of Charles, the share that the popular of Charles of the share that the popular of the share that the share that the settled that the set that the set that the settled that the settled that the set th

Partial invalidity, written form, place of jurisdiction and dispute resolutio